GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Jaggayyapet Municipality – Certain irregularities in execution of development works taken up in Dhanambodu, Jaggayyapet Municipality committed by Sri D.Hanumantha Rao, the then Assistant Engineer, Jaggayyapet Municipality and two (2) others - Common Disciplinary Proceedings under Rule-24 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.RT.No. 753 **Dated: 01-10-2024**

Read the following:-

1. From the GA (V&E) Department, A.P., Vigilance Report No.13 (C.No.1453/V&E/Engg./2022-1), dated 17.02.2023.
2. From Engineer-in-Chief, Public Health, A.P., Tadepalli, Guntur District, Letter No.233/Jaggayyapeta/Vig.II/CS2/A1/2023, Date:14/03/2024.

-oOo-

O R D E R:

Whereas, the Government Servants specified below are jointly concerned in a disciplinary case, while working in Dhanambodu, Jaggayyapet Municipality, Krishna District:

1) Sri D.Hanumantha Rao, the then Assistant Engineer, Jaggayyapet Municipality;
2) Sri V.V.Koteswara Rao, the then Deputy Executive Engineer, Jaggayyapet Municipality and
3) Sri D.Bhushanam, the then Executive Engineer, PH Division, Vijayawada,.

2. Now, therefore, in exercise of the powers conferred by sub Rule (1) and (2) of Rule 24 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, the disciplinary authority hereby directs:

i. that disciplinary action against all the said Government Servants shall be taken in a common proceedings.
ii. that Government shall function as the Disciplinary Authority for the purpose of the common proceedings and shall be competent to impose the penalties specified in Rule 9 of APCS(CC&A) Rules, 1991.
iii. that the procedure prescribed in Rule 20 of the APCS (CC&A) Rules, 1991 shall be followed in the said proceedings.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ANIL KUMAR SINGHAL
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri D.Hanumantha Rao, the then AE, Jaggayyapet Municipality –
through the Engineer-in-Chief, Public Health, A.P. Tadepalli, Guntur.

(P.T.O)

Sri Sri V.V.Koteswara Rao, the then Dy.EE, Jaggayyapet Municipality –
through the Engineer-in-Chief, Public Health, A.P., Tadepalli, Guntur.
Sri D.Bhushanam, the then EE, PH Division, Vijayawada-
through the ENC(Ph)., A.P., Tadepalli.
The Engineer-in-Chief(Public health), A.P., Tadepalli.
Copy to:
The Secretary to APVC, A.P.Secretariat, Amaravati.
The G.A. (V&E) Department, A.P., Vijayawada.
The M.A. & U.D. (C) Department.
SF / SC.

//FORWARDED BY ORDER//

SECTION OFFICER.